
NCTN Lymphoma Trials Portfolio (Open as of 1/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



NCTN Lymphoma Trials (Open as of 1/15/2025)

| Protocol Number | Phase | Protocol Title |
|-----------------|--------|---|
| | | A Randomized Phase II Study Comparing Inotuzumab Plus Chemotherapy Versus Standard Chemotherapy in |
| A042001 | П | Older Adults with Philadelphia-Chromosome-Negative B-Cell Acute Lymphoblastic Leukemia |
| | | Phase I Trial of Methotrexate, Rituximab, Lenalidomide, and Nivolumab (Nivo-MR2) Induction Followed by |
| A051901 | I . | Lenalidomide and Nivolumab Maintenance in Primary CNS Lymphoma |
| | | A Randomized Phase II Study of CHO(E)P vs CC-486-CHO(E)P vs Duvelisib-CHO(E)P in Previously Untreated |
| A051902 | П | CD30 Negative Peripheral T-Cell Lymphomas |
| | | A Randomized Phase 3 Trial of Continuous vs. Intermittent Maintenance Therapy with Zanubrutinib as Upfront |
| A052101 | ш | Treatment in Older Patients with Mantle Cell Lymphoma |
| | | A Randomized Phase 3 Trial of Nivolumab (NSC# 748726) in Combination with Chemo-Immunotherapy for the |
| ANHL1931 | ш | Treatment of Newly Diagnosed Primary Mediastinal B-Cell Lymphoma |
| | | A Randomized Phase 3 Interim Response Adapted Trial Comparing Standard Therapy with Immuno-oncology |
| AHOD2131 | ш | Therapy for Children and Adults with Newly Diagnosed Stage I and II Classic Hodgkin Lymphoma |
| | | A Phase I/II Study of AKR1C3-Activated Prodrug OBI-3424 (OBI-3424) In Patients with Relapsed/Refractory T- |
| S1905 | П | Cell Acute Lymphoblastic Leukemia (T-ALL)/T-Cell Lymphoblastic Lymphoma (T-LBL) |
| | | |
| | | A Phase II/III Randomized Study of R-MiniCHOP with or Without CC-486 (Oral Azacitidine) in Participants Age |
| | | 75 Years or Older with Newly Diagnosed Diffuse Large B Cell Lymphoma, Grade IIIB Follicular Lymphoma, |
| S1918 | 11/111 | Transformed Lymphoma, and High-Grade B-Cell Lymphomas with MYC AND BCL2 and/or BCL6 Rearrangements |
| | | Randomized, Phase III Study of Early Intervention with Venetoclax and Obinutuzumab Versus Delayed Therapy |
| | | with Venetoclax and Obinutuzumab in Newly Diagnosed Asymptomatic High-Risk Patients with Chronic |
| S1925 | ш | Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL): EVOLVE CLL/SLL Study |
| | | A Phase II Randomized Study of Ibrutinib and Rituximab with or Without Venetoclax in Previously Untreated |
| S2005 | П | Waldenström's Macroglobulinemia (WM) / Lymphoplasmacytic Lymphoma (LPL) |
| | | A Randomized Phase II Trial of Consolidation Therapy Following CD19 CAR T-Cell Treatment For |
| S2114 | П | Relapsed/Refractory Large B-Cell Lymphoma or Grade IIIB Follicular Lymphoma |
| | | Randomized Phase II Study of the Addition of Targeted Therapeutic Agents to Tafasitamab-Based Therapy in |
| S2207 | II | Non-Transplant-Eligible Patients with Relapsed/Refractory Large B-Cell Lymphoma |
| S2308 | III | Pandomized Dhace III Study of Mecuneturumah ve Dituyimah for Low Tumor Durden Follioviar Lymphome |
| 32300 | 111 | Randomized Phase III Study of Mosunetuzumab vs. Rituximab for Low Tumor Burden Follicular Lymphoma |