NCTN Gynecologic Cancer Trials Portfolio (Open as of 5/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



NCTN Gynecologic Cancer Trials Portfolio (Open as of 5/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.

Cross-disease trials:



NCTN Gynecologic Cancer Trials (Open as of 5/15/2025)

| Phase | Protocol Title |
|--------|---|
| | A Phase 3 Study of Active Surveillance for Low Risk and a Randomized Trial of Carboplatin vs. Cisplatin for |
| ш | Standard Risk Pediatric and Adult Patients with Germ Cell Tumors |
| | A Randomized Phase 3 Trial of Accelerated Versus Standard BEP Chemotherapy for Patients with Intermediate |
| ш | and Poor-Risk Germ Cell Tumors |
| | Groningen International Study on Sentinel Nodes in Vulvar Cancer (GROINSS-V) III: A Prospective Phase II |
| П | Treatment Trial |
| | A Randomized Phase II Trial of Nivolumab and Ipilimumab Compared to Nivolumab Monotherapy in Patients |
| П | with Deficient Mismatch Repair System Recurrent Endometrial Carcinoma |
| | A Phase II/III Study of Paclitaxel/Carboplatin Alone or Combined with Either Trastuzumab and Hyaluronidase- |
| | oysk (HERCEPTIN HYLECTA) or Pertuzumab, Trastuzumab, and Hyaluronidase-zzxf (PHESGO) in HER2 Positive, |
| 11/111 | Stage I-IV Endometrial Serous Carcinoma or Carcinosarcoma |
| | A Phase IB and Randomized Phase II Trial of Megestrol Acetate with or Without Ipatasertib in Recurrent or |
| 1/11 | Metastatic Endometrioid Endometrial Cancer |
| | A Phase 1B Study of Combination ATR (M1774) and BET Inhibition (ZEN003694) to Exploit ARID1A Loss in |
| I | Recurrent Ovarian and Endometrial Cancer |
| | A Phase II Study of Tailored Adjuvant Therapy in Pole-Mutated and p53-Wildtype/NSMP Early-Stage |
| II | Endometrial Cancer (RAINBO BLUE & TAPER) |
| | A Phase II Study of Androgen Receptor (AR) Inhibition by Darolutamide in Combination with Leuprolide Acetate |
| II | and Exemestane in Recurrent Adult-Type Ovarian Granulosa Cell Tumor |
| | A Phase III Trial of One vs. Two Years of Maintenance Olaparib, with or Without Bevacizumab, in Patients with |
| | BRCA1/2 Mutated or Homologous Recombination Deficient (HRD+) Ovarian Cancer Following Response to First |
| III | Line Platinum-Based Chemotherapy |
| | Randomized Phase II/III Trial of First Line Platinum/Etoposide with or Without Atezolizumab (NSC#783608) in |
| 11/111 | Patients with Poorly Differentiated Extrapulmonary Small Cell Neuroendocrine Carcinomas (NEC) |
| Other | Molecular Analysis for Combination Therapy Choice (ComboMATCH) |
| П | Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial |
| | A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: |
| П | A ComboMATCH Treatment Trial |
| | A Randomized Trial of Selumetinib and Olaparib or Selumetinib Alone in Patients with Recurrent or Persistent |
| П | RAS Pathway Mutant Ovarian and Endometrial Cancers: A ComboMATCH Treatment Trial |
| | A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 |
| П | Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial |
| | Phase 2 Study of Paclitaxel (NSC #673089) + Ipatasertib (NSC #781451) in Taxane-Refractory Participants with |
| П | AKT-Altered Advanced Non-Breast Solid Tumors: A ComboMATCH Treatment Trial |
| | III III III II/III II/III III III III I |